Contents of Volume 57

Vol. 57, No. 1 January (I) 2005

DNA binding and pairing activity of OsDmc1, a recombinase from rice
C.R. Kant, B.J. Rao, J.K. Sainis 1–11

cDNA cloning, functional expression and antifungal activities of a dimeric plant defensin SPE10 from *Pachyrrhizus erosus* seeds
X. Song, J. Wang, F. Wu, X. Li, M. Teng, W. Gong 13–20

Transcriptional regulation by abscisic acid in barley (*Hordeum vulgare* L.) seeds involves autoregulation of the transcription factor HvABI5
J.A. Casaretto, T.D. Ho 21–34

The complex developmental expression of a novel stress-responsive barley *Ltp* gene is determined by a shortened promoter sequence
M.L. Federico, H.F. Kaeppler, R.W. Skadsen 35–51

Expression of glutathione-S-transferase and its role in plant growth and development in vivo and shoot morphogenesis *in vitro*
H. Gong, Y. Jiao, W. Hu, E.-C. Pua 53–66

Two WD-repeat genes from cotton are functional homologues of the *Arabidopsis thaliana TRANSPARENT TESTA GLABRA1* (*TTG1*) gene
J.A. Humphries, A.R. Walker, J.N. Timmis, S.J. Orford 67–81

Transcriptional activation of tobacco E2F is repressed by co-transfection with the retinoblastoma-related protein: cyclin D expression overcomes this repressor activity
K. Uemukai, H. Iwakawa, S. Kosugi, S. de Jager, K. Kato, E. Kondorosi, J.AH. Murray, M. Ito, A. Shinmyo, M. Sekine 83–100

Recombinant human acid β-glucosidase stored in tobacco seed is stable, active and taken up by human fibroblasts
S. Reggi, S. Marchetti, T. Patti, F. De Amicis, R. Cariati, B. Bembi, C. Fogher 101–113

A novel class of *Helitron*-related transposable elements in maize contain portions of multiple pseudogenes
S. Gupta, A. Gallavotti, G.A. Stryker, R.J. Schmidt, S.K. Lal 115–127

Unique and overlapping expression patterns of Arabidopsis *CYP85* genes involved in brassinosteroid C-6 oxidation
J. Castle, M. Szekeres, G. Jenkins, G.J. Bishop 129–140

Duplication of the *S*-locus F-box gene is associated with breakdown of pollen function in an *S*-haplotype identified in a natural population of self-incompatible *Petunia axillaris*
T. Tsukamoto, T. Ando, H. Watanabe, E. Marchesi, T. Kao 141–153

Vol. 57, No. 2 January (II) 2005

Differential combinatorial interactions of *cis*-acting elements recognized by R2R3-MYB, BZIP, and BHLH factors control light-responsive and tissue-specific activation of phenylpropanoid biosynthesis genes
U. Hartmann, M. Sagasser, F. Mehrtens, R. Stracke, B. Weisshaar 155–171

Specific interactions between Dicer-like proteins and HYL1/DRB-family dsRNA-binding proteins in *Arabidopsis thaliana*
A. Hiraguri, R. Itoh, N. Kondo, Y. Nomura, D. Aizawa, Y. Murai, H. Koiwa, M. Seki, K. Shinozaki, T. Fukuhara 173–188

Multiple insect resistance in transgenic tomato plants over-expressing two families of plant proteinase inhibitors
A. Abdeen, A. Virgós, E. Olivella, J. Villanueva, X. Avilés, R. Gabarra, S. Prat 189–202

Large-scale statistical analysis of secondary xylem ESTs in pine
N. Pavy, J. Laroche, J. Bousquet, J. Mackay 203–224

A novel glucosyltransferase involved in steroid saponin biosynthesis in *Solanum aculeatissimum*
A. Kohara, C. Nakajima, K. Hashimoto, T. Ikenaga, H. Tanaka, Y. Shoyama, S. Yoshida, T. Muranaka 225–239

The mitochondrial branched-chain aminotransferase (AtBCAT-1) is capable to initiate degradation of leucine, isoleucine and valine in almost all tissues in *Arabidopsis thaliana*
J. Schuster, S. Binder 241–254

Comparative analysis of early embryonic sunflower cDNA libraries
C. Ben, T. Hewezi, M.F. Jardinaud, N. Ladouce, S. Moretti, C. Tamborindeguy, T. Liboz, M. Petitprez, L. Gentzbittel, F. Bena 255–270

Stable expression of a defense-related gene in wheat epidermis under transcriptional control of a novel promoter confers pathogen resistance
F. Altpeter, A. Varshney, O. Abderhalden, D. Douchkov, C. Sautter, J. Kumlehn, R. Dudler, P. Schweizer 271–283

Characterisation and expression of the pathway from UDP-glucose to UDP-xylose in differentiating tobacco tissue
L.V. Bindschedler, E.Wheatley, E. Gay, J. Cole, A. Cottage, G.P. Bolwell 285–301

Biochemical and molecular characterization of photosystem I deficiency in the NCS6 mitochondrial mutant of maize
S. Jiao, J.M. Thornsberry, T.E. Elthon, K.J. Newton 303–313

Vol. 57, No. 3 February 2005

Detailed expression analysis of selected genes of the aldehyde dehydrogenase *(ALDH)* gene superfamily in *Arabidopsis thaliana*
H.-H. Kirch, S. Schlingensiepen, S. Kotchoni, R. Sunkar, D. Bartels 315–332

Protein import pathways in 'complex' chloroplasts derived from secondary endosymbiosis involving a red algal ancestor
B.K. Chaal, B.R. Green 333–342

Arabidopsis cue mutants with defective plastids are impaired primarily in the photocontrol of expression of photosynthesis-associated nuclear genes
G. Vinti, N. Fourrier, J.R. Bowyer, E. López-Juez 343–357

A Kunitz trypsin inhibitor from chickpea (_Cicer arietinum_ L.) that exerts anti-metabolic effect on podborer (_Helicoverpa armigera_) larvae
A. Srinivasan, A.P. Giri, A.M. Harsulkar, J.A. Gatehouse, V.S. Gupta 359–374

Development of a citrus genome-wide EST collection and cDNA microarray as resources for genomic studies
J. Forment, J. Gadea, L. Huerta, L. Abizanda, J. Agusti, S. Alamar, E. Alos, F. Andres, R. Arribas, J.P. Beltran, A. Berbel, M.A. Blazquez, J. Brumos, L.A. Canas, M. Cercos, J.M. Colmenero-Flores, A. Conesa, B. Estables, M. Gandia, J.L. Garcia-Martinez, J. Gimeno, A. Gisbert, G. Gomez, L. Gonzalez-Candelas, A. Granell, J. Guerri, M.T. Lafuente, F. Madueno, J.F. Marcos, M.C. Marques, F. Martinez, M.A. Martinez-Godoy, S. Miralles, P. Moreno, L. Navarro, V. Pallas, M.A. Perez-Amador, J. Perez-Valle, C. Pons, I. Rodrigo, P.L. Rodgriguez, C. Royo, R. Serrano, G. Soler, F. Tadeo, M. Talon, J. Terol, M. Trenor, L. Vaello, O. Vicente, Ch. Vidal, L. Zacarias, V. Conejero 375–391

Gene expression profile in response to _Xanthomonas axonopodis_ pv. _manihotis_ infection in cassava using a cDNA microarray
C. Lopez, M. Soto, S. Restrepo, B. Piégu, R. Cooke, M. Delseny, J. Tohme, V. Verdier 393–410

Gene regulation _in planta_ by plant-derived engineered zinc finger protein transcription factors
R. Holmes-Davis, G. Li, A.C. Jamieson, E.J. Rebar, Q. Liu, Y. Kong, C.C. Case, P.D. Gregory 411–423

The _dsdA_ gene from _Escherichia coli_ provides a novel selectable marker for plant transformation
O. Erikson, M. Hertzberg, T. Näsholm 425–433

Vol. 57, No. 4 March (I) 2005

Review
Linkage disequilibrium and association studies in higher plants: Present status and future prospects
P.K. Gupta, S. Rustgi, P.L. Kulwal 461–485

Regular articles
Small heat shock proteins are differentially regulated during pollen development and following heat stress in tobacco
R.A. Volkov, I.I. Panchuk, F. Schöffl 487–502

pSAT vectors: a modular series of plasmids for autofluorescent protein tagging and expression of multiple genes in plants
T. Tzfira, G.-W. Tian, B. Lacroix, S. Vyas, J. Li, Y. Leitner-Dagan, A. Krichevsky, T. Taylor, A. Vainstein, V. Citovsky 503–516

Systemic response to aphid infestation by _Myzus persicae_ in the phloem of _Apium graveolens_
F. Divol, F. Vilaine, S. Thibivilliers, J. Amselem, J.-C. Palauqui, C. Kusiak, S. Dinant 517–540

Salicylic acid-inducible _Arabidopsis_ CK2-like activity phosphorylates TGA2
H.G. Kang, D.F. Klessig 541–557

Asymmetric leaves2-like1 gene, a member of the AS2/LOB family, controls proximal–distal patterning in _Arabidopsis_ petals
A. Chalfun-Junior, J. Franken, J.J. Mes, N. Marsch-Martinez, A. Pereira, G.C. Angenent 559–575

High heterogeneity within the ribosomal proteins of the _Arabidopsis thaliana_ 80S ribosome
P. Giavalisco, D. Wilson, T. Kreitler, H. Lehrach, J. Klose, J. Gobom, P. Fucini 577–591

Gene expression analysis by cDNA-AFLP highlights a set of new signaling networks and translational control during seed dormancy breaking in _Nicoriana plumbaginifolia_
J. Bove, P. Lucas, B. Godin, L. Ogé, M. Jullien, P. Grappin 593–612

Vol. 57, No. 5 March (II) 2005

***AINTEGUMENTA*-like (*AIL*) genes are expressed in young tissues and may specify meristematic or division-competent states**
S. Nole-Wilson, T.L. Tranby, B.A. Krizek 613–628

Identification of *cis*-elements for ethylene and circadian regulation of the *Solanum melongena* gene encoding cysteine proteinase
R. Rawat, Z.-F. Xu, K.-M. Yao, M.-L. Chye 629–643

Suppression of the cysteine protease, aleurain, delays floret senescence in *Brassica oleracea*
J.R. Eason, D.J. Ryan, L.M. Watson, D. Hedderley, M.C. Christey, R.H. Braun, S.A. Coupe 645–657

Isolation and characterization of a polymorphic stigma-specific class III peroxidase gene from *Senecio squalidus* L. (Asteraceae)
S.M. McInnis, L.M. Costa, J.F. Gutiérrez-Marcos, C.A. Henderson, S.J. Hiscock 659–677

Cloning and expression of the tobacco *CHLM* sequence encoding Mg protoporphyrin IX methyltransferase and its interaction with Mg chelatase
A. Alawady, R. Reski, E. Yaronskaya, B. Grimm 679–691

Specific patterns of changes in wheat gene expression after treatment with three antifungal compounds
F. Pasquer, E. Isidore, J. Zarn, B. Keller 693–707

Temporal evolution of the *Arabidopsis* oxidative stress response
R. Mahalingam, N. Shah, A. Scrymgeour, N. Fedoroff 709–730

Colonization of the *Arabidopsis* rhizosphere by fluorescent *Pseudomonas* spp. activates a root-specific, ehtylene-responsive *PR-5* gene in the vascular bundle
K.M. Léon-Kloosterziel, B.W.M. Verhagen, J.J.B. Keurentjes, J.A. VanPelt, M. Rep, L.C. VanLoon, C.M.J. Pieterse 731–748

Translation initiation factors eIF4E and eIFiso4E are required for polysome formation and regulate plant growth in tobacco
J.P. Combe, M.E. Petracek, G. van Eldik, F. Meulewaeter, D. Twell 749–760

DET1 regulates the proteasomal degradation of LHY, a component of the *Arabidopsis* circadian clock
H.-R. Song, I.A. Carré 761–771

Vol. 57, No. 6 April 2005

Activation of the *WUS* gene induces ectopic initiation of floral meristems on mature stem surface in *Arabidopsis thaliana*
Y.-Y. Xu, X.-M. Wang, J. Li, J.-H. Li, J.-S. Wu, J.C. Walker, Z.-H. Xu, K. Chong 773–784

New insights into the complex and coordinated transcriptional regulation networks underlying rice seed development through cDNA chip-based analysis
K. Duan, Y.-H. Luo, D. Luo, Z.-H. Xu, H.-W. Xue 785–804

Differential regulation of *chlorophyll a oxygenase* genes in rice
S. Lee, J.-H. Kim, E.S. Yoo, C.-H. Lee, H. Hirochika, G. An 805–818

***Arabidopsis* Rad51B is important for double-strand DNA breaks repair in somatic cells**
K. Osakabe, K. Abe, H. Yamanouchi, T. Takyuu, T. Yoshioka, Y. Ito, T. Kato, S. Tabata, S. Kurei, Y. Yoshioka, Y. Machida, M. Seki, M. Kobayashi, K. Shinozaki, H. Ichikawa, S. Toki 819–833

The *Oryza sativa no pollen* (*Osnop*) gene plays a role in male gametophyte development and most likely encodes a C2-GRAM domain-containing protein
S.Y. Jiang, M. Cai, S. Ramachandran 835–853

CaaX-prenyltransferases are essential for expression of genes involved in the early stages of monoterpenoid biosynthetic pathway in *Catharanthus roseus* cells
V. Courdavault, M. Thiersault, M. Courtois, P. Gantet, A. Oudin, P. Doireau, B. St-Pierre, N. Giglioli-Guivarch 855–870

A reporter gene system used to study developmental expression of alternative oxidase and isolate mitochondrial retrograde regulation mutants in Arabidopsis
J. Zarkovic, S.L. Anderson, D.M. Rhoads 871–888

Identification of novel clock-controlled genes by cDNA macroarray analysis in *Chlamydomonas reinhardtii*
K.-I. Kucho, K. Okamoto, S. Tabata, H. Fukuzawa, M. Ishiura 889–906

Intragenic diversity and functional conservation of the three homoeologous loci of the *KN1*-type homeobox gene *Wknox1* in common wheat
R. Morimoto, T. Kosugi, C. Nakamura, S. Takumi 907–924

Instructions for authors 925–928

Volume contents 929–933

Author index 935–936